

Session Evaluation Form & Daily Hours Track For Perfusionists

Science, Medicine and Industry -- Innovating for the Future



ASAIO 65th Annual Conference

"Dare to Innovate - Shape the Future"

June 26 - 29, 2019 | San Francisco

A Photo ID is required for participants to obtain Registration materials.

You must submit this Evaluation Form to the Registration Desk in order to receive your Certificate.

Wednesday, June 26, 2019 - Pediatric Day				
Time	ASAIO Scientific Sessions	✓	Content Delivery was	Speaker Delivery was
8:30am - 10:00am	Pediatric Day Session 1: Finding the Ideas to Fuel Pediatric Innovation	<input type="checkbox"/>	<input type="checkbox"/> Excellent <input type="checkbox"/> Good <input type="checkbox"/> Poor	<input type="checkbox"/> Excellent <input type="checkbox"/> Good <input type="checkbox"/> Poor
10:30am - 11:45am	Pediatric Day Session 2: Finding the Money to Fund Pediatric Innovation	<input type="checkbox"/>	<input type="checkbox"/> Excellent <input type="checkbox"/> Good <input type="checkbox"/> Poor	<input type="checkbox"/> Excellent <input type="checkbox"/> Good <input type="checkbox"/> Poor
1:30pm - 2:15pm	Pediatric Day Session 3: Finding the Way to Evaluate Pediatric Innovations	<input type="checkbox"/>	<input type="checkbox"/> Excellent <input type="checkbox"/> Good <input type="checkbox"/> Poor	<input type="checkbox"/> Excellent <input type="checkbox"/> Good <input type="checkbox"/> Poor
2:45pm - 4:30pm	Pediatric Day Session 4: Bringing Innovations to Our Pediatric Patients	<input type="checkbox"/>	<input type="checkbox"/> Excellent <input type="checkbox"/> Good <input type="checkbox"/> Poor	<input type="checkbox"/> Excellent <input type="checkbox"/> Good <input type="checkbox"/> Poor
Wednesday, June 26, 2019 - MCS/VAD University				
8:00am - 9:30am	Session 1: History, Fundamentals and Indication for Durable MCS Therapy	<input type="checkbox"/>	<input type="checkbox"/> Excellent <input type="checkbox"/> Good <input type="checkbox"/> Poor	<input type="checkbox"/> Excellent <input type="checkbox"/> Good <input type="checkbox"/> Poor
9:30am-10:30am	Session 2: Acute and Durable Support for INTERMACS I Patients?	<input type="checkbox"/>	<input type="checkbox"/> Excellent <input type="checkbox"/> Good <input type="checkbox"/> Poor	<input type="checkbox"/> Excellent <input type="checkbox"/> Good <input type="checkbox"/> Poor
10:30am-11:30am	Session 3: The GOOD, the BAD, and the UGLY in Durable Device Therapy	<input type="checkbox"/>	<input type="checkbox"/> Excellent <input type="checkbox"/> Good <input type="checkbox"/> Poor	<input type="checkbox"/> Excellent <input type="checkbox"/> Good <input type="checkbox"/> Poor
11:30am-1:30pm	Session 4: Technology, Entertainment, Design (TED) Style MCS	<input type="checkbox"/>	<input type="checkbox"/> Excellent <input type="checkbox"/> Good <input type="checkbox"/> Poor	<input type="checkbox"/> Excellent <input type="checkbox"/> Good <input type="checkbox"/> Poor
1:30pm-2:30pm	Session 5: Fundamental Principles and Engineering Advances to Enhance Technology Hemocompatibility and Outcomes	<input type="checkbox"/>	<input type="checkbox"/> Excellent <input type="checkbox"/> Good <input type="checkbox"/> Poor	<input type="checkbox"/> Excellent <input type="checkbox"/> Good <input type="checkbox"/> Poor

Wednesday - MCS/VAD University Continued				
2:30pm-3:30pm	Session 6: Heart Transplantation and Challenges in Bridged Patients		<input type="checkbox"/> Excellent <input type="checkbox"/> Good <input type="checkbox"/> Poor	<input type="checkbox"/> Excellent <input type="checkbox"/> Good <input type="checkbox"/> Poor
3:30pm-4:30pm	Session 7: When Device Therapy Goes Wrong...		<input type="checkbox"/> Excellent <input type="checkbox"/> Good <input type="checkbox"/> Poor	<input type="checkbox"/> Excellent <input type="checkbox"/> Good <input type="checkbox"/> Poor
4:30pm-5:30pm	Session 8: Man or Machine: Managing Interaction and Interface Between MCS and Patients		<input type="checkbox"/> Excellent <input type="checkbox"/> Good <input type="checkbox"/> Poor	<input type="checkbox"/> Excellent <input type="checkbox"/> Good <input type="checkbox"/> Poor
Wednesday - ASAIO/ICCAC MCS Proficiency Verification Course (MPV)				
8:00pm-1:30pm	ASAIO/ICCAC MCS Proficiency Verification Course (MPV)		<input type="checkbox"/> Excellent <input type="checkbox"/> Good <input type="checkbox"/> Poor	<input type="checkbox"/> Excellent <input type="checkbox"/> Good <input type="checkbox"/> Poor
Thursday, June 27, 2019				
Time	ASAIO Scientific Sessions	✓	Content Delivery was	Speaker Delivery was
8:00am - 9:45am	General Session 1		<input type="checkbox"/> Excellent <input type="checkbox"/> Good <input type="checkbox"/> Poor	<input type="checkbox"/> Excellent <input type="checkbox"/> Good <input type="checkbox"/> Poor
10:30am - 12:00pm	General Session 1 Continued		<input type="checkbox"/> Excellent <input type="checkbox"/> Good <input type="checkbox"/> Poor	<input type="checkbox"/> Excellent <input type="checkbox"/> Good <input type="checkbox"/> Poor
1:30pm - 3:00pm	Cardiac 1 - The Future of MCS		<input type="checkbox"/> Excellent <input type="checkbox"/> Good <input type="checkbox"/> Poor	<input type="checkbox"/> Excellent <input type="checkbox"/> Good <input type="checkbox"/> Poor
1:30pm - 3:00pm	Bioengineering 1 - Design Innovation		<input type="checkbox"/> Excellent <input type="checkbox"/> Good <input type="checkbox"/> Poor	<input type="checkbox"/> Excellent <input type="checkbox"/> Good <input type="checkbox"/> Poor
1:30pm - 3:00pm	Pulmonary 1 - Bioengineering Conundrums in Artificial Lung Development		<input type="checkbox"/> Excellent <input type="checkbox"/> Good <input type="checkbox"/> Poor	<input type="checkbox"/> Excellent <input type="checkbox"/> Good <input type="checkbox"/> Poor
1:30pm - 3:00pm	Renal 1 - Vascular Access: Innovative Devices		<input type="checkbox"/> Excellent <input type="checkbox"/> Good <input type="checkbox"/> Poor	<input type="checkbox"/> Excellent <input type="checkbox"/> Good <input type="checkbox"/> Poor
1:30pm - 3:00pm	Pediatric 1 - The Pros and Cons to Achieving Pediatric Labelling: Do We Need It?		<input type="checkbox"/> Excellent <input type="checkbox"/> Good <input type="checkbox"/> Poor	<input type="checkbox"/> Excellent <input type="checkbox"/> Good <input type="checkbox"/> Poor
1:30pm - 3:00pm	Nursing Abstracts		<input type="checkbox"/> Excellent <input type="checkbox"/> Good <input type="checkbox"/> Poor	<input type="checkbox"/> Excellent <input type="checkbox"/> Good <input type="checkbox"/> Poor
1:30pm - 3:00pm	Critical Care / Anesthesiology / Pathology Session 1 - Pathology of Cardiovascular Devices and the Clinical Translation		<input type="checkbox"/> Excellent <input type="checkbox"/> Good <input type="checkbox"/> Poor	<input type="checkbox"/> Excellent <input type="checkbox"/> Good <input type="checkbox"/> Poor

Thursday, June 27, 2019 Continued

3:45pm - 5:00pm	Cardiac 2 - Reducing Neurologic Complications in MCS		<input type="checkbox"/> Excellent <input type="checkbox"/> Good <input type="checkbox"/> Poor	<input type="checkbox"/> Excellent <input type="checkbox"/> Good <input type="checkbox"/> Poor
3:45pm - 5:00pm	Bioengineering 2 - Modeling Innovation		<input type="checkbox"/> Excellent <input type="checkbox"/> Good <input type="checkbox"/> Poor	<input type="checkbox"/> Excellent <input type="checkbox"/> Good <input type="checkbox"/> Poor
3:45pm - 5:00pm	VAD 1: Ideas to Evolve an MCS Program		<input type="checkbox"/> Excellent <input type="checkbox"/> Good <input type="checkbox"/> Poor	<input type="checkbox"/> Excellent <input type="checkbox"/> Good <input type="checkbox"/> Poor
3:45pm - 5:00pm	Pulmonary 2 - VA ECMO for Resuscitation of Massive Pulmonary Embolism (PE)		<input type="checkbox"/> Excellent <input type="checkbox"/> Good <input type="checkbox"/> Poor	<input type="checkbox"/> Excellent <input type="checkbox"/> Good <input type="checkbox"/> Poor
3:45pm - 5:00pm	Renal 2 - Cannulas and Cardiac Assist Devices, What the Nephrologist Needs to Know		<input type="checkbox"/> Excellent <input type="checkbox"/> Good <input type="checkbox"/> Poor	<input type="checkbox"/> Excellent <input type="checkbox"/> Good <input type="checkbox"/> Poor
3:45pm - 5:00pm	Pediatric 2 - ACTION Learning Collaborative for Pediatrics		<input type="checkbox"/> Excellent <input type="checkbox"/> Good <input type="checkbox"/> Poor	<input type="checkbox"/> Excellent <input type="checkbox"/> Good <input type="checkbox"/> Poor
3:45pm - 5:00pm	Critical Care / Anesthesiology / Pathology Session 2 - Pathology of Cardiovascular Devices and the Clinical Translation		<input type="checkbox"/> Excellent <input type="checkbox"/> Good <input type="checkbox"/> Poor	<input type="checkbox"/> Excellent <input type="checkbox"/> Good <input type="checkbox"/> Poor

Friday, June 28, 2019

Time	ASAIO Scientific Sessions		Content Delivery was	Speaker Delivery was
8:30am - 10:00am	General Session 2	✓	<input type="checkbox"/> Excellent <input type="checkbox"/> Good <input type="checkbox"/> Poor	<input type="checkbox"/> Excellent <input type="checkbox"/> Good <input type="checkbox"/> Poor
10:45am - 12:00pm	General Session 2 Continued		<input type="checkbox"/> Excellent <input type="checkbox"/> Good <input type="checkbox"/> Poor	<input type="checkbox"/> Excellent <input type="checkbox"/> Good <input type="checkbox"/> Poor
1:30pm - 3:00pm	Cardiac 3 - Acute Heart Failure and Cardiogenic Shock		<input type="checkbox"/> Excellent <input type="checkbox"/> Good <input type="checkbox"/> Poor	<input type="checkbox"/> Excellent <input type="checkbox"/> Good <input type="checkbox"/> Poor
1:30pm - 3:00pm	Bioengineering 3 - Technical Controversy: Pulse or Not		<input type="checkbox"/> Excellent <input type="checkbox"/> Good <input type="checkbox"/> Poor	<input type="checkbox"/> Excellent <input type="checkbox"/> Good <input type="checkbox"/> Poor
1:30pm - 3:00pm	VAD 2: Debates: "Pros" versus "Cons" in Challenging Situations		<input type="checkbox"/> Excellent <input type="checkbox"/> Good <input type="checkbox"/> Poor	<input type="checkbox"/> Excellent <input type="checkbox"/> Good <input type="checkbox"/> Poor
1:30pm - 3:00pm	Pulmonary 3 - Extracorporeal Lung Support/Ambulatory Artificial Lung for End Stage Lung Diseases		<input type="checkbox"/> Excellent <input type="checkbox"/> Good <input type="checkbox"/> Poor	<input type="checkbox"/> Excellent <input type="checkbox"/> Good <input type="checkbox"/> Poor
1:30pm - 3:00pm	Renal 3 - Sensing Technologies Relevant to RRT And Clinical Use		<input type="checkbox"/> Excellent <input type="checkbox"/> Good <input type="checkbox"/> Poor	<input type="checkbox"/> Excellent <input type="checkbox"/> Good <input type="checkbox"/> Poor

Friday, June 28, 2019 Continued

1:30pm - 3:10pm	Pediatric 3 -Pediatric Perspective on Hemostasis, Thrombogenicity and Hemocompatibility	<input type="checkbox"/> Excellent <input type="checkbox"/> Good <input type="checkbox"/> Poor	<input type="checkbox"/> Excellent <input type="checkbox"/> Good <input type="checkbox"/> Poor
1:30pm - 3:10pm	Critical Care / Anesthesiology / Pathology Session 3 - Topics in Critical Care And Anesthesiology	<input type="checkbox"/> Excellent <input type="checkbox"/> Good <input type="checkbox"/> Poor	<input type="checkbox"/> Excellent <input type="checkbox"/> Good <input type="checkbox"/> Poor
1:30pm - 2:30pm	IFAO Session	<input type="checkbox"/> Excellent <input type="checkbox"/> Good <input type="checkbox"/> Poor	<input type="checkbox"/> Excellent <input type="checkbox"/> Good <input type="checkbox"/> Poor
3:45pm - 5:00pm	Cardiac 4 - Debate - The Future of Advanced Heart Failure: VAD vs Transplant	<input type="checkbox"/> Excellent <input type="checkbox"/> Good <input type="checkbox"/> Poor	<input type="checkbox"/> Excellent <input type="checkbox"/> Good <input type="checkbox"/> Poor
3:45pm - 5:00pm	Bioengineering 4 - Artificial Organs and Tissue Engineering	<input type="checkbox"/> Excellent <input type="checkbox"/> Good <input type="checkbox"/> Poor	<input type="checkbox"/> Excellent <input type="checkbox"/> Good <input type="checkbox"/> Poor
3:45pm - 5:00pm	Pulmonary 4 - Innovative Technologies for Respiratory Support	<input type="checkbox"/> Excellent <input type="checkbox"/> Good <input type="checkbox"/> Poor	<input type="checkbox"/> Excellent <input type="checkbox"/> Good <input type="checkbox"/> Poor
3:45pm - 5:00pm	Renal 4 - Innovative Approaches to Extracorporeal Renal Support With Clinical Application	<input type="checkbox"/> Excellent <input type="checkbox"/> Good <input type="checkbox"/> Poor	<input type="checkbox"/> Excellent <input type="checkbox"/> Good <input type="checkbox"/> Poor
3:45pm - 5:00pm	Pediatric 4 - Pediatric Abstracts	<input type="checkbox"/> Excellent <input type="checkbox"/> Good <input type="checkbox"/> Poor	<input type="checkbox"/> Excellent <input type="checkbox"/> Good <input type="checkbox"/> Poor

Saturday, June 29, 2019

Time	ASAIO Scientific Sessions	<input checked="" type="checkbox"/>	Content Delivery was	Speaker Delivery was
8:30am - 10:00am	Cardiac 5 - Optimizing MCS Outcomes and Reducing Complications: Pulsatility, Blood pressure, Speed Optimization	<input type="checkbox"/>	<input type="checkbox"/> Excellent <input type="checkbox"/> Good <input type="checkbox"/> Poor	<input type="checkbox"/> Excellent <input type="checkbox"/> Good <input type="checkbox"/> Poor
8:30am - 10:00am	Bioengineering 5 - Innovation InSight	<input type="checkbox"/>	<input type="checkbox"/> Excellent <input type="checkbox"/> Good <input type="checkbox"/> Poor	<input type="checkbox"/> Excellent <input type="checkbox"/> Good <input type="checkbox"/> Poor
8:30am - 10:00am	Pulmonary 5 - Controversies in Artificial Lung Support	<input type="checkbox"/>	<input type="checkbox"/> Excellent <input type="checkbox"/> Good <input type="checkbox"/> Poor	<input type="checkbox"/> Excellent <input type="checkbox"/> Good <input type="checkbox"/> Poor
8:30am - 10:00am	Renal 5 - KHI: Enabling Technologies for Wearable Dialysis and Implanted Artificial Kidney	<input type="checkbox"/>	<input type="checkbox"/> Excellent <input type="checkbox"/> Good <input type="checkbox"/> Poor	<input type="checkbox"/> Excellent <input type="checkbox"/> Good <input type="checkbox"/> Poor
10:45am - 12:00pm	Cardiac 6 - RV Failure and BiV Failure in the Era of Centrifugal Flow	<input type="checkbox"/>	<input type="checkbox"/> Excellent <input type="checkbox"/> Good <input type="checkbox"/> Poor	<input type="checkbox"/> Excellent <input type="checkbox"/> Good <input type="checkbox"/> Poor
10:45am - 12:00pm	Bioengineering 6 - Ex-Vivo Perfusion Models	<input type="checkbox"/>	<input type="checkbox"/> Excellent <input type="checkbox"/> Good <input type="checkbox"/> Poor	<input type="checkbox"/> Excellent <input type="checkbox"/> Good <input type="checkbox"/> Poor

Saturday, June 29, 2019 - Continued

10:45am - 12:00pm	Renal 6 - Emerging Strategies In Acute Kidney Injury and Extracorporeal Support	<input type="checkbox"/> Excellent <input type="checkbox"/> Good <input type="checkbox"/> Poor	<input type="checkbox"/> Excellent <input type="checkbox"/> Good <input type="checkbox"/> Poor
-------------------	---	--	--

Please Print

Name:	
Email:	
Telephone:	